

#### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

In claim 1, line 7, the phrase "a renewable energy power system" has been changed to --the renewable energy power system-- because the same element is already recited on line 4 of claim 1.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Examiner Nguyen whose telephone number is (571) 272-4861. The examiner can normally be reached on Tuesday--Friday from 12:30 AM to 10:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas E. Denion can be reached on 571-272-4859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Hoang M Nguyen/  
Primary Examiner, Art Unit 3748

HOANG NGUYEN  
PRIMARY EXAMINER  
ART UNIT 3748

Hoang Minh Nguyen  
10/21/2008